

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
16 December 2004 (16.12.2004)


PCT

(10) International Publication Number
WO 2004/108137 A1

- (51) International Patent Classification⁷: **A61K 31/522**, 31/519, A61P 25/22
- (21) International Application Number: PCT/JP2004/008486
- (22) International Filing Date: 10 June 2004 (10.06.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/509,046 10 June 2003 (10.06.2003) US
60/532,793 24 December 2003 (24.12.2003) US
- (71) Applicant (for all designated States except US): **KYOWA HAKKO KOGYO CO., LTD.** [JP/JP]; 6-1, Ohtemachi 1-chome, Chiyoda-ku, Tokyo 1008185 (JP).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **KASE, Hiroshi**, SENO, Naoki. **SHIOZAKI, Shizuo**. **KOBAYASHI, Minoru**. **KASE, Junya**.
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report

[Continued on next page]

(54) Title: A METHOD OF TREATING AN ANXIETY DISORDER



(57) Abstract: Anxiety disorders, such as panic disorder, agoraphobia, obsessive-compulsive disorder, social phobia, post-traumatic stress disorder, generalized anxiety disorder, specific phobia, or the like, are treated by administering an effective amount of at least one adenosine A_{2A} receptor antagonist to a patient in need thereof, optionally in combination with an anxiolytic(s) other than the adenosine A_{2A} receptor antagonist.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.